Index of Papers Published in 1986

Authors Index

A

Acharya, A.: *Particle Transport in Viscous and Viscoelastic Fracturing Fluids*, (Tech. Paper SPE13179) SPEPE Mar., 86 104-110

Addison, G.E. *et al.*: *Paraffin Control in the Northern Michigan Niagaran Reef Trend*, (Tech. Paper SPE12320) SPEPE May, 86 213-220

Allen, F.R. and Puckett, D.A.: *Theoretical and Experimental Studies of Rate-Dependent Two-Phase Immiscible Flow*, (Tech. Paper SPE10972) SPEPE Jan., 86 62-74

Amaefule, J.O. and Masuo, S.T.: *Use of Capillary-Pressure Data for Rapid Evaluation of Formation Damage or Stimulation*, (Tech. Paper SPE12475) SPEPE Mar., 86 131-142

Anthony, J.L. and Hill, A.D.: *An Extended Analysis Method for Two-Pulse Tracer Logging*, (Tech. Paper SPE13396) SPEPE Mar., 86 117-124

Arceneaux, M.A. and Smith, R.L.: *Liner Rotation While Cementing: An Operator's Experience in South Texas*, (Tech. Paper SPE13448) SPEPE Mar., 86 153-159

Asheim, H.: *MONA: An Accurate Two-Phase Well Flow Model Based on Phase Slippage*, (Tech. Paper SPE12989) SPEPE May, 86 221-230

Asperger, R.G.: *Rapid, High-Temperature, Field Test Method for Evaluation of Geothermal Calcite Carbonate Inhibitors*, (Tech. Paper SPE13549) SPEPE Sept., 86 359-362

B

Bailey, D.E. and Reeves, N.K.: *Cement Quality Evaluation by Polished Section Microscopy*, (Tech. Paper SPE12911) SPEPE May, 86 174-178

Barker, D.B. *et al.*: *Field Tests of the Stem-Induced Explosive Fracturing Technique*, (Tech. Paper SPE12840) SPEPE July, 86 266-274

Barker, K. M. *et al.*: *Paraffin Control in the Northern Michigan Niagaran Reef Trend*, (Tech. Paper SPE12320) SPEPE May, 86 213-220

Benson, G.R. *et al.*: *Liquid Propellant Stimulation: Case Studies in Shallow Appalachian Basin Wells*, (Tech. Paper SPE13376) SPEPE May, 86 203-212

Bingham, M.D. *et al.*: *Factors Affecting Perforating Charge Performance and Relationship to Port Plug Condition*, (Tech. Paper SPE13128) SPEPE Sept., 86 379-387

Biot, M.A. *et al.*: *A Two-Dimensional Theory of Fracture Propagation*, (Tech. Paper SPE11067) SPEPE Jan., 86 17-30

Bonis, M.R. and Crolet, J.-L.: *Experience in the Use of 13% Cr Tubing in Corrosive CO2 Fields*, (Tech. Paper SPE13552) SPEPE Sept., 86 344-350

Boyce, J.R. and Carroll, J.F.: *Mathematical Modeling of a Gravel-Pack Logging Tool*, (Tech. Paper SPE13138) SPEPE Mar., 86 125-130

C

Carroll, J.F. and Boyce, J.R.: *Mathematical Modeling of a Gravel-Pack Logging Tool*, (Tech. Paper SPE13138) SPEPE Mar., 86 125-130

Clark, Jr., H.C. *et al.*: *Field Tests of the Stem-Induced Explosive Fracturing Technique*, (Tech. Paper SPE12840) SPEPE July, 86 266-274

Cleary, M. P. and Settari, A.: *Development and Testing of a Pseudo-Three-Dimensional Model of Hydraulic Fracture Geometry*, (Tech. Paper SPE10505) SPEPE Nov., 86 449-466

Crolet, J.-L. and Bonis, M.R.: *Experience in the Use of 13% Cr Tubing in Corrosive CO2 Fields*, (Tech. Paper SPE13552) SPEPE Sept., 86 344-350

Cuderman, J.F. and Northrop, D.A.: *A Propellant-Based Technology for Multiple-Fracturing Wellbores To Enhance Gas Recovery: Application and Results in Devonian Shale*, (Tech. Paper SPE12838) SPEPE Mar., 86 97-103

E

El-Jundi, I.M.: *Qatar NGL-2 Pipeline Problems*, (Tech. Paper SPE13685) SPEPE Nov., 86 478-484

Evans, S.: *Development and Testing of New Offshore Cathodic Protection Criteria*, (Tech. Paper SPE13316) SPEPE May, 86 187-190

F

Fillo, G.J. *et al.*: *Liquid Propellant Stimulation: Case Studies in Shallow Appalachian Basin Wells*, (Tech. Paper SPE13376) SPEPE May, 86 203-212

Fitz-Patrick, R.P. *et al.*: *A Comprehensive Fracture Diagnostics Experiment: Part 1 - An Overview*, (Tech. Paper SPE13893) SPEPE Nov., 86 411-422

Fredrickson, S.E.: *Discussion of N2 and CO2 in the Oil Field: Stimulation and Completion Applications*, (Discussion SPE16050) SPEPE Nov., 86 494

G

Garbis, S. and Taylor III, J.L.: *The Utility of CO2 as an Energizing Component for Fracturing Fluids*, (Tech. Paper SPE13794) SPEPE Sept., 86 351-358

Gdanski, R.D. and Norman, L.R.: *Using the Hollow-Core Test To Determine Acid Reaction Rates*, (Tech. Paper SPE12151) SPEPE Mar., 86 111-116

Gott, C.I.: *Successful Rod Pumping at 14,500 Feet*, (Tech. Paper SPE12198) SPEPE Nov., 86 485-493

H

Hale, B.W.: *Analysis of Tight Gas Well Production Histories in the Rocky Mountains*, (Tech. Paper SPE11639) SPEPE July, 86 310-322

Hancock, W.P.: *Operational Experience of Running Multicasing Gas Compression Trains on a North Sea Platform*, (Tech. Paper SPE14584) SPEPE July, 86 279-288

Harris, P.C. *et al.*: *Rheological Study of Foam Fracturing Fluids Using Nitrogen and Carbon Dioxide*, (Tech. Paper SPE12026) SPEPE Jan., 86 31-41

Hill, A.D. and Anthony, J.L.: *An Extended Analysis Method for Two-Pulse Tracer Logging*, (Tech. Paper SPE13396) SPEPE Mar., 86 117-124

Holm, J.A. *et al.*: *Reducing Gravel Pack and Formation Dissolution During Steam Injection*, (Tech. Paper SPE13660) SPEPE Nov., 86 471-477

Hurst, D.M. and Payne, M.L.: *Heavy-Wall Production Tubing Design for Special-Alloy Steels*, (Tech. Paper SPE12622) SPEPE July, 86 289-302

J

Jamsheer, A.S. and Sood, L.K.: *Design of Surface Facilities for Khuff Gas*, (Tech. Paper SPE13683) SPEPE July, 86 303-309

K

Kalfayan, L.J. *et al.*: *Reducing Gravel Pack and Formation Dissolution During Steam Injection*, (Tech. Paper SPE13660) SPEPE Nov., 86 471-477

Karr, G. *et al.*: *A Comprehensive Fracture Diagnostics Experiment: Part 1 - An Overview*, (Tech. Paper SPE13893) SPEPE Nov., 86 411-422

Kidder, R.W. *et al.*: *Factors Affecting Perforating Charge Performance and Relationship to Port Plug Condition*, (Tech. Paper SPE13128) SPEPE Sept., 86 379-387

King, G.E. *et al.*: *Factors Affecting Perforating Charge Performance and Relationship to Port Plug Condition*, (Tech. Paper SPE13128) SPEPE Sept., 86 379-387

Kobayashi, W. *et al.*: *Strength Development of 2CaO/SiO2-Silica Cement Under High-Temperature and High-Pressure Condition*, (Tech. Paper SPE13406) SPEPE Jan., 86 42-48

Kobayashi, W. *et al.*: *Influence of Minor Components on Strength Development of 2CaO/SiO2-Silica Cement*, (Tech. Paper SPE13411) SPEPE Jan., 86 49-54

L

Lee, Y.N. and Shah, S.N.: *Friction Pressures of Proppant-Laden Hydraulic Fracturing Fluids*, (Tech. Paper SPE13836) SPEPE Nov., 86 437-445

Lee, Y.N. *et al.*: *Rheological Study of Foam Fracturing Fluids Using Nitrogen and Carbon Dioxide*, (Tech. Paper SPE12026) SPEPE Jan., 86 31-41

Lemanczyk, Z.R. and Thiercelin, M.J.: *Stress Gradient Affects the Height of Vertical Hydraulic Fractures*, (Tech. Paper SPE11626) SPEPE July, 86 245-254

Lord, D.L. *et al.*: *Rheological Study of Foam Fracturing Fluids Using Nitrogen and Carbon Dioxide*, (Tech. Paper SPE12026) SPEPE Jan., 86 31-41

M

Masse, L. *et al.*: *A Two-Dimensional Theory of Fracture Propagation*, (Tech. Paper SPE11067) SPEPE Jan., 86 17-30

Masuo, S.T. and Amaefule, J.O.: *Use of Capillary-Pressure Data for Rapid Evaluation of Formation Damage or Stimulation*, (Tech. Paper SPE12475) SPEPE Mar., 86 131-142

Maxwell, S.: *Assessment of Sulfide Corrosion Risks in Offshore Systems by Biological Monitoring*, (Tech. Paper SPE13847) SPEPE Sept., 86 363-368

Mbaba, P.E.: *Gel-Block Technique: A Successful Application for Zonal Isolation in a Depleted Reservoir*, (Tech. Paper SPE13637) SPEPE Nov., 86 467-470

McLane, J.E. and Ortiz, J.: *Low-pH Methanol: An Alternative for Stimulation in Water-Sensitive, Tight, Dirty Sandstones*, (Tech. Paper SPE12502) SPEPE May, 86 195-202

Medlin, W.L. *et al.*: *A Two-Dimensional Theory of Fracture Propagation*, (Tech. Paper SPE11067) SPEPE Jan., 86 17-30

Moore, J.S.: *Design, Installation, and Early Operation of the Timbalier Bay S-2B(RA)SU Gravity-Stable, Miscible CO2-Injection Project*, (Tech. Paper SPE14287) SPEPE Sept., 86 369-378

Morgenthaler, L.N.: *Formation Damage Tests of High-Density Brine Completion Fluids*, (Tech. Paper SPE13811) SPEPE Nov., 86 432-436

Murphy, B. S. *et al.*: *Bumper-Pile Design for Mating Platform and Subsea Drilling Template*, (Tech. Paper SPE12543) SPEPE May, 86 179-186

N

Nelson, W. E. *et al.*: *Bumper-Pile Design for Mating Platform and Subsea Drilling Template*, (Tech. Paper SPE12543) SPEPE May, 86 179-186

Newberry, M.E. *et al.*: *Paraffin Control in the Northern Michigan Niagaran Reef Trend*, (Tech. Paper SPE12320) SPEPE May, 86 213-220

Nolte, K.G.: *Determination of Proppant and Fluid Schedules From Fracturing-Pressure Decline*, (Tech. Paper SPE13278) SPEPE July, 86 255-265

Norman, L.R. and Gdanski, R.D.: *Using the Hollow-Core Test To Determine Acid Reaction Rates*, (Tech. Paper SPE12151) SPEPE Mar., 86 111-116

Northrop, D.A. and Cuderman, J.F.: *A Propellant-Based Technology for Multiple-Fracturing Wellbores To Enhance Gas Recovery: Application and Results in Devonian Shale*, (Tech. Paper SPE12838) SPEPE Mar., 86 97-103

O

O'Shea, P. *et al.*: *A Comprehensive Fracture Diagnostics Experiment: Part 1 - An Overview*, (Tech. Paper SPE13893) SPEPE Nov., 86 411-422

Okabayashi, S. *et al.*: *Strength Development of 2CaO/SiO2-Silica Cement Under High-Temperature and High-Pressure Condition*, (Tech. Paper SPE13406) SPEPE Jan., 86 42-48

Okabayashi, S. *et al.*: *Influence of Minor Components on Strength Development of 2CaO/SiO2-Silica Cement*, (Tech. Paper SPE13411) SPEPE Jan., 86 49-54

Ortiz, J. and McLane, J.E.: *Low-pH Methanol: An Alternative for Stimulation in Water-Sensitive, Tight, Dirty Sandstones*, (Tech. Paper SPE12502) SPEPE May, 86 195-202

Ozkaya, I.: *Analysis of Natural Hydraulic Fracturing of Shales During Sedimentation*, (Tech. Paper SPE13343) SPEPE May, 86 191-194

P

Payne, M.L. and Hurst, D.M.: *Heavy-Wall Production Tubing Design for Special-Alloy Steels*, (Tech. Paper SPE12622) SPEPE July, 86 289-302

Phillips, E.L. and Whitt, S.R.: *Success of Openhole Completions in the Northeast Butterly Field, Southern Oklahoma*, (Tech. Paper SPE11555) SPEPE May, 86 169-173

Puckett, D.A. and Allen, F.R.: *Theoretical and Experimental Studies of Rate-Dependent Two-Phase Immiscible Flow*, (Tech. Paper SPE10972) SPEPE Jan., 86 62-74

R

Reda, D.C. and Russo, A.J.: *Experimental Studies of Salt Cavity Leaching By Freshwater Injection*, (Tech. Paper SPE13308) SPEPE Jan., 86 82-86

Reda, D.C. and Russo, A.J.: *Experimental Studies of Oil Withdrawal From Salt Cavities by Fress-Water Injection*, (Tech. Paper SPE13307) SPEPE Jan., 86 75-81

Reeves, N.K. and Bailey, D.E.: *Cement Quality Evaluation by Polished Section Microscopy*, (Tech. Paper SPE12911) SPEPE May, 86 174-178

Reidenbach, V.G. *et al.*: *Rheological Study of Foam Fracturing Fluids Using Nitrogen and Carbon Dioxide*, (Tech. Paper SPE12026) SPEPE Jan., 86 31-41

Ren, N. *et al.*: *A Comprehensive Fracture Diagnostics Experiment: Part 2--Comparison of Fracture Azimuth Measuring Procedures*, (Tech. Paper SPE13894) SPEPE Nov., 86 423-431

Russo, A.J. and Reda, D.C.: *Experimental Studies of Salt Cavity Leaching By Freshwater Injection*, (Tech. Paper SPE13308) SPEPE Jan., 86 82-86

Russo, A.J. and Reda, D.C.: *Experimental Studies of Oil Withdrawal From Salt Cavities by Fress-Water Injection*, (Tech. Paper SPE13307) SPEPE Jan., 86 75-81

S

Sabins, F. L. and Sutton, D. L.: *The Relationship of Thickening Time, Gel Strength, and Compressive Strength of Oilwell Cements*, (Tech. Paper SPE11205) SPEPE Mar., 86 143-152

Sasaki, S. *et al.*: *Strength Development of 2CaO/SiO2-Silica Cement Under High-Temperature and High-Pressure Condition*, (Tech. Paper SPE13406) SPEPE Jan., 86 42-48

Sasaki, S. *et al.*: *Influence of Minor Components on Strength Development of 2CaO/SiO2-Silica Cement*, (Tech. Paper SPE13411) SPEPE Jan., 86 49-54

Scheuerman, R.F.: *A New Look at Gravel-Pack Carrier Fluid*, (Tech. Paper SPE12476) SPEPE Jan., 86 9-16

Schulte, W.M.: *Production From a Fractured Well With Well Inflow Limited to Part of the Fracture Height*, (Tech. Paper SPE12882) SPEPE Sept., 86 333-343

Settari, A. and Cleary, M. P.: *Development and Testing of a Pseudo-Three-Dimensional Model of Hydraulic Fracture Geometry*, (Tech. Paper SPE10505) SPEPE Nov., 86 449-466

Shah, S.N. and Lee, Y.N.: *Friction Pressures of Proppant-Laden Hydraulic Fracturing Fluids*, (Tech. Paper SPE13836) SPEPE Nov., 86 437-445

Shah, S.N. and Watters, L.T.: *Time and Shear Effects On Rheological Properties of Crosslinked Fluids--An Evaluation Method*, (Tech. Paper SPE12923) SPEPE Jan., 86 55-61

Shah, S.N.: *Proppant-Settling Correlations for Non-Newtonian Fluids*, (Tech. Paper SPE13835) SPEPE Nov., 86 446-448 .

Shreder, L.A.: *Case History of Acid Stimulation in the Fryburg Zone, Western North Dakota*, (Tech. Paper SPE12921) SPEPE Nov., 86 405-410

Small, G.P.: *Steam-Injection Profile Control Using Limited-Entry Perforations*, (Tech. Paper SPE13607) SPEPE Sept., 86 388-394

Smith, M.B. *et al.*: *A Comprehensive Fracture Diagnostics Experiment: Part 2--Comparison of Fracture Azimuth Measuring Procedures*, (Tech. Paper SPE13894) SPEPE Nov., 86 423-431

Smith, R.L. and Arceneaux, M.A.: *Liner Rotation While Cementing: An Operator's Experience in South Texas*, (Tech. Paper SPE13448) SPEPE Mar., 86 153-159

Sood, L.K. and Jamsheer, A.S.: *Design of Surface Facilities for Khuff Gas*, (Tech. Paper SPE13683) SPEPE July, 86 303-309

Sorrells, G.G. *et al.*: *A Comprehensive Fracture Diagnostics Experiment: Part 2--Comparison of Fracture Azimuth Measuring Procedures*, (Tech. Paper SPE13894) SPEPE Nov., 86 423-431

Stahl, B. *et al.*: *Bumper-Pile Design for Mating Platform and Subsea Drilling Template*, (Tech. Paper SPE12543) SPEPE May, 86 179-186

Sutton, D. L. and Sabins, F. L.: *The Relationship of Thickening Time, Gel Strength, and Compressive Strength of Oilwell Cements*, (Tech. Paper SPE11205) SPEPE Mar., 86 143-152

T

Taylor III, J.L. and Garbis, S.: *The Utility of CO2 as an Energizing Component for Fracturing Fluids*, (Tech. Paper SPE13794) SPEPE Sept., 86 351-358

Teufel, L.W. *et al.*: *A Comprehensive Fracture Diagnostics Experiment: Part 2--Comparison of Fracture Azimuth Measuring Procedures*, (Tech. Paper SPE13894) SPEPE Nov., 86 423-431

Thiercelin, M.J. and Lemanczyk, Z.R.: *Stress Gradient Affects the Height of Vertical Hydraulic Fractures*, (Tech. Paper SPE11626) SPEPE July, 86 245-254

W

Ward, V.L.: *N2 and CO2 in the Oil Field: Stimulation and Completion Applications*, (Tech. Paper SPE12594) SPEPE July, 86 275-278

Watanabe, D.J. *et al.*: *Reducing Gravel Pack and Formation Dissolution During Steam Injection*, (Tech. Paper SPE13660) SPEPE Nov., 86 471-477

Watkins, D.R. *et al.*: *Reducing Gravel Pack and Formation Dissolution During Steam Injection*, (Tech. Paper SPE13660) SPEPE Nov., 86 471-477

Watson, S.C. *et al.*: *Liquid Propellant Stimulation: Case Studies in Shallow Appalachian Basin Wells*, (Tech. Paper SPE13376) SPEPE May, 86 203-212

Watters, L.T. and Shah, S.N.: *Time and Shear Effects On Rheological Properties of Crosslinked Fluids--An Evaluation Method*, (Tech. Paper SPE12923) SPEPE Jan., 86 55-61

Whitt, S.R. and Phillips, F.L.: *Success of Openhole Completions in the Northeast Butterly Field, Southern Oklahoma*, (Tech. Paper SPE11555) SPEPE May, 86 169-173

Y

Young, C. *et al.*: *Field Tests of the Stem-Induced Explosive Fracturing Technique*, (Tech. Paper SPE12840) SPEPE July, 86 266-274

Subject Index

A

Acids
- Reaction rates: using hollow-core test to determine, (Tech. Paper SPE 12151) SPEPE Mar. 86, 111-116
- Stimulation: case history in Fryburg zone, western North Dakota, (Tech. Paper SPE 12921) SPEPE Nov. 86, 405-410

Acoustic Amplitude
- See California, (Tech. Paper SPE 13607) SPEPE Sept. 86, 388-394

Additives
- Chemical: effect on acid reaction rates; using hollow-core test to determine, (Tech. Paper SPE 12151) SPEPE Mar. 86, 111-116

Alaska
- Prudhoe Bay field: flowline data used in test of MONA, an accurate two-phase well flow model based on phase slippage, (Tech. Paper SPE 12989) SPEPE May 86, 221-230

Azimuth
- Measuring of fracture: comparison of procedures; part 2 of comprehensive diagnostics experiment, (Tech. Paper SPE 13894) SPEPE Nov. 86, 423-431

B

Bahrain Field
- See Bahrain Islands, (Tech. Paper SPE 13683) SPEPE Jul. 86, 303-309

Bahrain Islands
- Bahrain field: design of surface facilities for Khuff gas, (Tech. Paper SPE 13683) SPEPE Jul. 86, 303-309

Biological Survey
- Of sulfide corrosion risks in offshore systems, (Tech. Paper SPE 13847) SPEPE Sept. 86, 363-368

Brines
- High-density completion fluids: formation damage tests, (Tech. Paper SPE 13811) SPEPE Nov. 86, 432-436

C

Calcium
- Carbonate scale inhibitors: rapid, high-temperature field test method for evaluation, (Tech. Paper SPE 13549) SPEPE Sept. 86, 359-362

California
- South Belridge field: steam-injection profile control; use of limited-entry perforations, (Tech. Paper SPE 13607) SPEPE Sept. 86, 388-394

Capillary Pressure
- Data: use for rapid evaluation of formation damage or stimulation, (Tech. Paper SPE 12475) SPEPE Mar. 86, 131-142

Carbon Dioxide
- And N2 in the oil field: stimulation and completion applications, (Tech. Paper SPE 12594) SPEPE Jul. 86, 275-278
- And N2 in the oil field: stimulation and completion applications; discussion of, (Discussion SPE 16050) SPEPE Nov. 86, 494
- Corrosive fields: experience in use of 13% Cr tubing, (Tech. Paper SPE 13552) SPEPE Sept. 86, 344-350
- Gravity-stable miscible injection: design, installation, and early operation of Timbalier Bay S-2B(RA)SU, (Tech. Paper SPE 14287) SPEPE Sept. 86, 369-378
- Use in rheological study of foam fracturing fluids, (Tech. Paper SPE 12026) SPEPE Jan. 86, 31-41
- Utility as energizing component for fracturing fluids, (Tech. Paper SPE 13794) SPEPE Sept. 86, 351-358

Carbonate Reservoirs
- Acid stimulation: case history in Fryburg zone, western North Dakota, (Tech. Paper SPE 12921) SPEPE Nov. 86, 405-410

Carrier Fluid
- Gravel-pack: new look at, (Tech. Paper SPE 12476) SPEPE Jan. 86, 9-16

Case Histories
- Of acid stimulation: Fryburg zone, western North Dakota, (Tech. Paper SPE 12921) SPEPE Nov. 86, 405-410

Casing
- Multiple: operational experience of running gas compression trains on a North Sea platform, (Tech. Paper SPE 14584) SPEPE Jul. 86, 279-288

Cathodic Protection
- Offshore: new criteria; development and testing of, (Tech. Paper SPE 13316) SPEPE May 86, 187-190

Cementing
- With liner rotation: operator's experience in South Texas, (Tech. Paper SPE 13448) SPEPE Mar. 86, 153-159

Cements
- 2CaO/SiO2-silica: strength development under high-temperature and high-pressure conditions, (Tech. Paper SPE 13406) SPEPE Jan. 86, 42-48
- 2CaO/SiO2-silica: strength development; influence of minor components, (Tech. Paper SPE 13411) SPEPE Jan. 86, 49-54
- Oilwell: relationship of thickening time, gel strength, and compressive strength, (Tech. Paper SPE 11205) SPEPE Mar. 86, 143-152
- Quality evaluation by polished-section microscopy, (Tech. Paper SPE 12911) SPEPE May 86, 174-178
- Squeeze: of depleted zone; a successful application of gel-block technique for zonal isolation, (Tech. Paper SPE 13637) SPEPE Nov. 86, 467-470

Charges
- Perforating: factors affecting performance and relationship to port plug condition, (Tech. Paper SPE 13128) SPEPE Sept. 86, 379-387

Chemicals
- Additives: effect on acid reaction rates: using hollow-core test to determine, (Tech. Paper SPE 12151) SPEPE Mar. 86, 111-116

Completion
- Applications: and stimulation; N2 and CO2 in the oil field, (Tech. Paper SPE 12594) SPEPE Jul. 86, 275-278
- Applications: and stimulation; N2 and CO2 in the oil field, discussion of, (Discussion SPE 16050) SPEPE Nov. 86, 494
- Design model: heavy-wall production tubing design for special-alloy steels, (Tech. Paper SPE 12622) SPEPE Jul. 86, 289-302

Fluids: high-density brine; formation damage tests, (Tech. Paper SPE 13811) SPEPE Nov. 86, 432-436

Completion Practice
Openhole success: Northeast Butterly field, Oklahoma, (Tech. Paper SPE 11555) SPEPE May 86, 169-173

Compression
Trains, multicasing gas: operational experience of running on a North Sea platform, (Tech. Paper SPE 14584) SPEPE Jul. 86, 279-288

Compressive Strength
Of oilwell cements: relationship with thickening time and gel strength, (Tech. Paper SPE 11205) SPEPE Mar. 86, 143-152

Computers
Monte Carlo code: mathematical modeling of gravel-pack logging tool, (Tech. Paper SPE 13138) SPEPE Mar. 86, 125-130
Program: for two-dimensional theory of fracture propagation, (Tech. Paper SPE 11067) SPEPE Jan. 86, 17-30

Contamination
Of 2CaO/SiO2-silica cement: influence on strength development, (Tech. Paper SPE 13411) SPEPE Jan. 86, 49-54

Controls
Of cement quality: evaluation by polished-section microscopy, (Tech. Paper SPE 12911) SPEPE May 86, 174-178
Of paraffin deposition: Northern Michigan Niagaran reef trend, (Tech. Paper SPE 12320) SPEPE May 86, 213-220
Steam-injection profile: use of limited-entry perforations, (Tech. Paper SPE 13607) SPEPE Sept. 86, 388-394

Cores
Berea, North Sea and Bolivian: rapid evaluation of formation damage or stimulation; use of capillary-pressure data, (Tech. Paper SPE 12475) SPEPE Mar. 86, 131-142
Hollow test: using to determine acid reaction rates, (Tech. Paper SPE 12151) SPEPE Mar. 86, 111-116

Correlations
For proppant settling rate in viscous and viscoelastic fracturing, (Tech. Paper SPE 13179) SPEPE Mar. 86, 104-110
Friction pressures of propant-laden hydraulic fracturing fluids, (Tech. Paper SPE 13836) SPEPE Nov. 86, 437-445
Proppant-settling: non-Newtonian fluids, (Tech. Paper SPE 13835) SPEPE Nov. 86, 446-448
Viscosity and gravel-settling: new look at gravel-pack carrier fluid, (Tech. Paper SPE 12476) SPEPE Jan. 86, 9-16

Corrosion
In CO2 fields: experience in use of 13% Cr tubing, (Tech. Paper SPE 13552) SPEPE Sept. 86, 344-350
Sulfide: assessment of risks in offshore systems by biological monitoring, (Tech. Paper SPE 13847) SPEPE Sept. 86, 363-368

Crosslinked Fluids
Rheological properties of: evaluation of time and shear effects on, (Tech. Paper SPE 12923) SPEPE Jan. 86, 55-61

Crude Oils
Withdrawal from salt cavities by freshwater injection: experimental studies, (Tech. Paper SPE 13307) SPEPE Jan. 86, 75-81

D

Data
Capillary-pressure: use for rapid evaluation of formation damage or stimulation, (Tech. Paper SPE 12475) SPEPE Mar. 86, 131-142

Density
High, brine completion fluids; formation damage tests, (Tech. Paper SPE 13811) SPEPE Nov. 86, 432-436

Design
Bumper-pile: for mating platform and subsea drilling template, (Tech. Paper SPE 12543) SPEPE May 86, 179-186
Heavy-wall production tubing: special-alloy steels, (Tech. Paper SPE 12622) SPEPE Jul. 86, 289-302
Of Timbalier Bay S-2B(RA)SU gravity-stable, miscible CO2-injection project, (Tech. Paper SPE 14287) SPEPE Sept. 86, 369-378
Of surface facilities for gas: Khuff reservoir, (Tech. Paper SPE 13683) SPEPE Jul. 86, 303-309

Developments
And testing of new offshore cathodic protection criteria, (Tech. Paper SPE 13316) SPEPE May 86, 187-190
Of pseudo-three-dimensional model of hydraulic fracture geometry, (Tech. Paper SPE 10505) SPEPE Nov. 86, 449-466
Strength of 2CaO/SiO2 cement: high-temperature and high-pressure conditions, (Tech. Paper SPE 13406) SPEPE Jan. 86, 42-48
Strength of 2CaO/SiO2 cement: influence of minor components, (Tech. Paper SPE 13411) SPEPE Jan. 86, 49-54

Dissolution
Of formation: and gravel pack; reducing during steam injection, (Tech. Paper SPE 13660) SPEPE Nov. 86, 471-477

Drilling
Subsea template: mating with platform; bumper-pile design for, (Tech. Paper SPE 12543) SPEPE May 86, 179-186

E

Economics
Of 13% Cr tubing in corrosive CO2 fields: experience in use, (Tech. Paper SPE 13552) SPEPE Sept. 86, 344-350
Of CO2 as energizing component for fracturing fluids: utility of, (Tech. Paper SPE 13794) SPEPE Sept. 86, 351-358

Efficiency
Fluid: from fracturing-pressure decline, (Tech. Paper SPE 13278) SPEPE Jul. 86, 255-265

Ekofisk Field
See North Sea and Norway

Enhanced Recovery
Gas: propellant-based technology for multiple-fracturing wellbores; application and results in Devonian shale, (Tech. Paper SPE 12838) SPEPE Mar. 86, 97-103

Equipment
Field hardware for propellent-based technology for multiple-fracturing wellbores to enhance gas recovery: application and results in Devonian shale, (Tech. Paper SPE 12838) SPEPE Mar. 86, 97-103
Gravel-pack logging tool: mathematical modeling of, (Tech. Paper SPE 13138) SPEPE Mar. 86, 125-130
Liner: rotation while cementing; operator's experience in South Texas, (Tech. Paper SPE 13448) SPEPE Mar. 86, 153-159
Selection: for successful rod pumping at 14,000 feet, (Tech. Paper SPE 12198) SPEPE Nov. 86, 485-493

Eulerian Method
Use in theoretical studies of rate-dependent two-phase immiscible flow, (Tech. Paper SPE 10972) SPEPE Jan. 86, 62-74

Evaluations
Cement quality: by polished-section microscopy, (Tech. Paper SPE 12911) SPEPE May 86, 174-178
Of geothermal calcium carbonate scale inhibitors: rapid, high-temperature, field test method, (Tech. Paper SPE 13549) SPEPE Sept. 86, 359-362
Of liner rotation while cementing: operator's experience in South Texas, (Tech. Paper SPE 13448) SPEPE Mar. 86, 153-159
Of sulfide corrosion risks in offshore systems: biological monitoring, (Tech. Paper SPE 13847) SPEPE Sept. 86, 363-368
Of time and shear effects on rheological properties of crosslinked fluids, (Tech. Paper SPE 12923) SPEPE Jan. 86, 55-61
Rapid: of formation damage or stimulation; use of capillary-pressure data, (Tech. Paper SPE 12475) SPEPE Mar. 86, 131-142
Explosives
Stem-induced fracturing technique: field tests of, (Tech. Paper SPE 12840) SPEPE Jul. 86, 266-274

F

Field Applications
Of two-dimensional theory of fracture propagation, (Tech. Paper SPE 11067) SPEPE Jan. 86, 17-30
Field Tests
Comprehensive fracture diagnostics experiment: part 1 - an overview, (Tech. Paper SPE 13893) SPEPE Nov. 86, 411-422
Of new offshore cathodic protection criteria, (Tech. Paper SPE 13316) SPEPE May 86, 187-190
Of stem-induced explosive fracturing technique, (Tech. Paper SPE 12840) SPEPE Jul. 86, 266-274
Rapid, high-temperature method for evaluation of geothermal calcium carbonate scale inhibitors, (Tech. Paper SPE 13549) SPEPE Sept. 86, 359-362
Steam injection: reducing gravel pack and formation dissolution during, (Tech. Paper SPE 13660) SPEPE Nov. 86, 471-477
Fluid Flow
Out of shale layer: analysis of natural hydraulic fracturing of shales during sedimentation, (Tech. Paper SPE 13343) SPEPE May 86, 191-194
Rate-dependent two-phase immiscible: theoretical and experimental studies, (Tech. Paper SPE 10972) SPEPE Jan. 86, 62-74
Foams
Fracturing fluids: rheological study using nitrogen and carbon dioxide, (Tech. Paper SPE 12026) SPEPE Jan. 86, 31-41
Forecasting
Reserves: analysis of tight gas well production histories; Rocky Mountains, (Tech. Paper SPE 11639) SPEPE Jul. 86, 310-322
Formation Damage
Tests: high-density brine completion fluids, (Tech. Paper SPE 13811) SPEPE Nov. 86, 432-436
Use of capillary-pressure data for rapid evaluation of, (Tech. Paper SPE 12475) SPEPE Mar. 86, 131-142
Formation Fractures
Comprehensive diagnostics experiment: part 1 - an overview, (Tech. Paper SPE 13893) SPEPE Nov. 86, 411-422
Comprehensive diagnostics experiment: part 2 - comparison of fracture azimuth measuring procedures, (Tech. Paper SPE 13894) SPEPE Nov. 86, 423-431
Geometry, hydraulic: development and testing of pseudo-three-dimensional model, (Tech. Paper SPE 10505) SPEPE Nov. 86, 449-466
Two-dimensional theory of fracture propagation, (Tech. Paper SPE 11067) SPEPE Jan. 86, 17-30
Vertical hydraulic: stress gradient affects the height of, (Tech. Paper SPE 11626) SPEPE Jul. 86, 245-254
Well inflow limited to part of fracture height: production from, (Tech. Paper SPE 12882) SPEPE Sept. 86, 333-343
Formation Fracturing
Hydraulic, natural: of shales during sedimentation; analysis of, (Tech. Paper SPE 13343) SPEPE May 86, 191-194
Pressure decline: determination of proppant and fluid schedules from, (Tech. Paper SPE 13278) SPEPE Jul. 86, 255-265
Propellant-based technology for multiple-fracturing wellbores: application and results in Devonian shale to enhance gas recovery, (Tech. Paper SPE 12838) SPEPE Mar. 86, 97-103
Stem-induced explosive technique: field tests of, (Tech. Paper SPE 12840) SPEPE Jul. 86, 266-274
Viscous and viscoelastic fracturing fluids: particle transport in, (Tech. Paper SPE 13179) SPEPE Mar. 86, 104-110
Forties Field
See Scotland
Fractured Reservoirs or Fracturing
Hydraulic, natural: of shales during sedimentation; analysis of, (Tech. Paper SPE 13343) SPEPE May 86, 191-194
Pressure decline: determination of proppant and fluid schedules from, (Tech. Paper SPE 13278) SPEPE Jul. 86, 255-265
Stem-induced explosive technique: field tests of, (Tech. Paper SPE 12840) SPEPE Jul. 86, 266-274
Fractures
Comprehensive diagnostics experiment: part 1 - an overview, (Tech. Paper SPE 13893) SPEPE Nov. 86, 411-422
Comprehensive diagnostics experiment: part 2 - comparison of fracture azimuth measuring procedures, (Tech. Paper SPE 13894) SPEPE Nov. 86, 423-431
Geometry, hydraulic: development and testing of pseudo-three-dimensional model, (Tech. Paper SPE 10505) SPEPE Nov. 86, 449-466
Vertical hydraulic: stress gradient affects the height of, (Tech. Paper SPE 11626) SPEPE Jul. 86, 245-254
Well inflow limited to part of fracture height: production from, (Tech. Paper SPE 12882) SPEPE Sept. 86, 333-343
Fracturing Fluids
Foam: rheological study using nitrogen and carbon dioxide, (Tech. Paper SPE 12026) SPEPE Jan. 86, 31-41
Proppant-laden hydraulic: friction pressures of, (Tech. Paper SPE 13836) SPEPE Nov. 86, 437-445
Utility of CO2 as energizing component, (Tech. Paper SPE 13794) SPEPE Sept. 86, 351-358
Viscous and viscoelastic: particle transport in, (Tech. Paper SPE 13179) SPEPE Mar. 86, 104-110
Friction
Pressures: of proppant-laden hydraulic fracturing fluids, (Tech. Paper SPE 13836) SPEPE Nov. 86, 437-445

G

Gas Injection
System: operational experience of running multicasing compression trains on a North Sea platform, (Tech. Paper SPE 14584) SPEPE Jul. 86, 279-288

Gas Wells
In Devonian shale: application and results of propellant-based technology for multiple-fracturing wellbores to enhance gas recovery, (Tech. Paper SPE 12838) SPEPE Mar. 86, 97-103
Offshore, high-pressure: heavy-wall production tubing design for special-alloy steels, (Tech. Paper SPE 12622) SPEPE Jul. 86, 289-302
Production histories in Rocky Mountains: analysis of tight wells, (Tech. Paper SPE 11639) SPEPE Jul. 86, 310-322
Gel Strength
Of oilwell cements: relationship with thickening time and compressive strength, (Tech. Paper SPE 11205) SPEPE Mar. 86, 143-152
Gels
Block technique: a successful application for zonal isolation in a depleted reservoir, (Tech. Paper SPE 13637) SPEPE Nov. 86, 467-470
Geometry
Hydraulic fracture: development and testing of pseudo-three-dimensional model, (Tech. Paper SPE 10505) SPEPE Nov. 86, 449-466
Geophysics
Measuring fracture azimuth: comparison of procedures; part 2 of comprehensive fracture diagnostics experiment, (Tech. Paper SPE 13894) SPEPE Nov. 86, 423-431
Geothermal Wells
Strength development of 2CaO/SiO2-silica cement under high-temperature and high-pressure conditions, (Tech. Paper SPE 13406) SPEPE Jan. 86, 42-48
Strength development of 2CaO/SiO2-silica cement: influence of minor components, (Tech. Paper SPE 13411) SPEPE Jan. 86, 49-54
Gravel Packing
Carrier fluid: new look at, (Tech. Paper SPE 12476) SPEPE Jan. 86, 9-16
Logging tool: mathematical modeling of, (Tech. Paper SPE 13138) SPEPE Mar. 86, 125-130
Reducing pack and formation dissolution during steam injection, (Tech. Paper SPE 13660) SPEPE Nov. 86, 471-477

I

Immiscible Displacement
Rate-dependent two-phase flow: theoretical and experimental studies, (Tech. Paper SPE 10972) SPEPE Jan. 86, 62-74
Inhibitors
For geothermal calcium carbonate scale: rapid, high-temperature, field test method for evaluation, (Tech. Paper SPE 13549) SPEPE Sept. 86, 359-362
Injection
Freshwater: experimental studies of oil withdrawal from salt cavities by, (Tech. Paper SPE 13307) SPEPE Jan. 86, 75-81
Freshwater: experimental studies of salt-cavity leaching by, (Tech. Paper SPE 13308) SPEPE Jan. 86, 82-86
Gravity-stable miscible CO2: design, installation, and early operation of Timbalier Bay S-2B2(RA)SU project, (Tech. Paper SPE 14287) SPEPE Sept. 86, 369-378
Profiles: Two-pulse tracer logging; extended analysis method, (Tech. Paper SPE 13396) SPEPE Mar. 86, 117-124

K

Kansas
Use of two-dimensional theory of fracture propagation in design of fracturing programs, (Tech. Paper SPE 11067) SPEPE Jan. 86, 17-30
Kentucky
Devonian shale: application and results of propellant-based technology for multiple-fracturing wellbores to enhance gas recovery, (Tech. Paper SPE 12838) SPEPE Mar. 86, 97-103
Khuff Reservoir
See Bahrain Islands

L

Laboratory Studies
2CaO/SiO2-silica cement: strength development under high-temperature and high-pressure conditions, (Tech. Paper SPE 13406) SPEPE Jan. 86, 42-48
2CaO/SiO2-silica cement: strength development; influence of minor components, (Tech. Paper SPE 13411) SPEPE Jan. 86, 49-54
Completion fluids: high-density brine; formation damage tests, (Tech. Paper SPE 13811) SPEPE Nov. 86, 432-436
Crosslinked fluids: rheological properties of; evaluation of time and shear effects on, (Tech. Paper SPE 12923) SPEPE Jan. 86, 55-61
Friction pressures: proppant-laden hydraulic fracturing fluids, (Tech. Paper SPE 13836) SPEPE Nov. 86, 437-445
Of foam fracturing fluids using nitrogen and carbon dioxide, (Tech. Paper SPE 12026) SPEPE Jan. 86, 31-41
Of formation damage or stimulation: use of capillary-pressure data for rapid evaluation, (Tech. Paper SPE 12475) SPEPE Mar. 86, 131-142
Of oil withdrawal from salt cavities by freshwater injection, (Tech. Paper SPE 13307) SPEPE Jan. 86, 75-81
Of oilwell cements: relationship of thickening time, gel strength, and compressive strength, (Tech. Paper SPE 11205) SPEPE Mar. 86, 143-152
Of rate-dependent two-phase immiscible flow, (Tech. Paper SPE 10972) SPEPE Jan. 86, 62-74
Of salt-cavity leaching by freshwater injection, (Tech. Paper SPE 13308) SPEPE Jan. 86, 82-86
Paraffin control: Northern Michigan Niagaran reef trend, (Tech. Paper SPE 12320) SPEPE May 86, 213-220
Steam injection: reducing gravel pack and formation dissolution during, (Tech. Paper SPE 13660) SPEPE Nov. 86, 471-477
Vertical hydraulic fractures: stress gradient affects the height of, (Tech. Paper SPE 11626) SPEPE Jul. 86, 245-254
Lagrangian Methods
Development of two-dimensional theory of fracture propagation, (Tech. Paper SPE 11067) SPEPE Jan. 86, 17-30
Use in theoretical studies of rate-dependent two-phase immiscible flow, (Tech. Paper SPE 10972) SPEPE Jan. 86, 62-74
Leaching
Salt cavity: by freshwater injection; experimental studies, (Tech. Paper SPE 13308) SPEPE Jan. 86, 82-86
Limited Entry
Perforations: use in steam-injection profile control, (Tech. Paper SPE 13607) SPEPE Sept. 86, 388-394
Liners
Rotation while cementing: operator's experience in south Texas, (Tech. Paper SPE 13448) SPEPE Mar. 86, 153-159
Liquids
Natural gas: Qatar 2 plant pipeline problems, (Tech. Paper SPE 13685) SPEPE Nov. 86, 478-484

Logging
Gravel-pack tool: mathematical modeling of, (Tech. Paper SPE 13138) SPEPE Mar. 86, 125-130
Two-pulse tracer: extended analysis method, (Tech. Paper SPE 13396) SPEPE Mar. 86, 117-124

Louisiana
Timbalier Bay Field: design, installation and early operation of S-2B(RA)SU gravity-stable, miscible CO2-injection project, (Tech. Paper SPE 14287) SPEPE Sept. 86, 369-378

M

Mapping
Comprehensive field fracture experiment: part 1 - an overview, (Tech. Paper SPE 13893) SPEPE Nov. 86, 411-422

Measurement
Of fracture azimuth: comparison of procedures: part 2 of comprehensive diagnostics experiment, (Tech. Paper SPE 13894) SPEPE Nov. 86, 423-431

Michigan
Northern: paraffin control in Niagaran reef trend, (Tech. Paper SPE 12320) SPEPE May 86, 213-220

Microscopy
Polished-section: cement quality evaluation by, (Tech. Paper SPE 12911) SPEPE May 86, 174-178

Miscible Displacement
Gravity-stable CO2 injection: design, installation, and early operation of Timbalier Bay S-2B(RA)SU project, (Tech. Paper SPE 14287) SPEPE Sept. 86, 369-378

Models
Accurate two-phase well flow: MONA, a computer program based on phase slippage, (Tech. Paper SPE 12989) SPEPE May 86, 221-230
Fracture geometry: determination of proppant and fluid schedules from fracturing-pressure decline, (Tech. Paper SPE 13278) SPEPE Jul. 86, 255-265
Lagrangian/Eulerian: theoretical and experimental studies of rate-dependent two-phase immiscible flow, (Tech. Paper SPE 10972) SPEPE Jan. 86, 62-74
Mathematical: analysis of natural hydraulic fracturing of shale during sedimentation, (Tech. Paper SPE 13343) SPEPE May 86, 191-194
Mathematical: of gravel-pack logging tool, (Tech. Paper SPE 13138) SPEPE Mar. 86, 125-130
Mathematical: study of foam fracturing fluids using nitrogen and carbon dioxide, (Tech. Paper SPE 12026) SPEPE Jan. 86, 31-41
Pressure-drop test: for oilwell cements; relationship of thickening time, gel strength, and compressive strength, (Tech. Paper SPE 11205) SPEPE Mar. 86, 143-152
Pseudo-three-dimensional: of hydraulic fracture geometry; development and testing, (Tech. Paper SPE 10505) SPEPE Nov. 86, 449-466
Testing of docking maneuver: mating platform and subsea drilling template; bumper-pile design for, (Tech. Paper SPE 12543) SPEPE May 86, 179-186

Monitoring
Biological: assessment of sulfide corrosion risks in offshore systems, (Tech. Paper SPE 13847) SPEPE Sept. 86, 363-368
Tiltmeter and microseismic: comprehensive fracture diagnostics experiment; part 2 - comparison of fracture azimuth measuring procedures, (Tech. Paper SPE 13894) SPEPE Nov. 86, 423-431

N

Natural Gas
Khuff reservoir: design of surface facilities for, (Tech. Paper SPE 13683) SPEPE Jul. 86, 303-309
Liquids: Qatar 2 plant pipeline problems, (Tech. Paper SPE 13685) SPEPE Nov. 86, 478-484

New Mexico
San Juan basin: analysis of tight gas well production histories in Rocky Mountains, (Tech. Paper SPE 11639) SPEPE Jul. 86, 310-322

Nitrogen
And CO2 in the oil field: stimulation and completion applications, (Tech. Paper SPE 12594) SPEPE Jul. 86, 275-278
And CO2 in the oil field: stimulation and completion applications; discussion of, (Discussion SPE 16050) SPEPE Nov. 86, 494
Use in rheological study of foam fracturing fluids, (Tech. Paper SPE 12026) SPEPE Jan. 86, 31-41

Non-Newtonian Systems
Proppant-settling correlations for fluids, (Tech. Paper SPE 13835) SPEPE Nov. 86, 446-448

North Dakota
TR field: case history of acid stimulation in Fryburg zone, (Tech. Paper SPE 12921) SPEPE Nov. 86, 405-410

North Sea
Ekofisk field: production data used in test of MONA, an accurate two-phase well flow model based on phase slippage, (Tech. Paper SPE 12989) SPEPE May 86, 221-230
Forties field: production data used in test of MONA, an accurate two-phase well flow model based on phase slippage, (Tech. Paper SPE 12989) SPEPE May 86, 221-230
Statfjord field, platform B: operational experience of running multicasing gas compression trains, (Tech. Paper SPE 14584) SPEPE Jul. 86, 279-288

Northeast Butterly Field; See Oklahoma
See Oklahoma, (Tech. Paper SPE 11555) SPEPE May 86, 169-173

Numerical Solutions
Hydraulic fracture geometry: development and testing of pseudo-three-dimensional model, (Tech. Paper SPE 10505) SPEPE Nov. 86, 449-466
Of rate-dependent two-phase immiscible flow, (Tech. Paper SPE 10972) SPEPE Jan. 86, 62-74
Of two-dimensional theory of fracture propagation, (Tech. Paper SPE 11067) SPEPE Jan. 86, 17-30
Production from fractured well: well inflow limited to part of fracture height, (Tech. Paper SPE 12882) SPEPE Sept. 86, 333-343

O

Offshore
Cathodic protection: development and testing of new criteria, (Tech. Paper SPE 13316) SPEPE May 86, 187-190
Gas well, high-pressure: heavy-wall production tubing design for special-alloy steels, (Tech. Paper SPE 12622) SPEPE Jul. 86, 289-302
Mating platform and subsea drilling template: bumper-pile design for, (Tech. Paper SPE 12543) SPEPE May 86, 179-186
Qatar: NGL-2 pipeline problems, (Tech. Paper SPE 13685) SPEPE Nov. 86, 478-484

Systems: assessment of sulfide corrosion risks by biological monitoring, (Tech. Paper SPE 13847) SPEPE Sept. 86, 363-368

Offshore Operations

In corrosive CO2 fields: experience in use of 13% Cr tubing, (Tech. Paper SPE 13552) SPEPE Sept. 86, 344-350

Oil Fields

N2 and CO2 in: stimulation and completion applications, (Tech. Paper SPE 12594) SPEPE Jul. 86, 275-278

N2 and CO2 in: stimulation and completion applications; discussion of, (Discussion SPE 16050) SPEPE Nov. 86, 494

Oil Wells

Cements: relationship of thickening time, gel strength, and compressive strength, (Tech. Paper SPE 11205) SPEPE Mar. 86, 143-152

Deep: strength development of 2CaO/SiO2-silica cement under high-temperature and high-pressure conditions, (Tech. Paper SPE 13406) SPEPE Jan. 86, 42-48

Deep: strength development of 2CaO/SiO2-silica cement; influence of minor components, (Tech. Paper SPE 13411) SPEPE Jan. 86, 49-54

Oklahoma

Comprehensive field fracture mapping experiment: part 1 - an overview, (Tech. Paper SPE 13893) SPEPE Nov. 86, 411-422

Northeast Butterly field: success of openhole completions, (Tech. Paper SPE 11555) SPEPE May 86, 169-173

P

Paraffin

Control: Northern Michigan Niagaran reef trend, (Tech. Paper SPE 12320) SPEPE May 86, 213-220

Particle

Settling velocity: proppant correlations; non-Newtonian fluids, (Tech. Paper SPE 13835) SPEPE Nov. 86, 446-448

Transport in viscous and viscoelastic fracturing fluids, (Tech. Paper SPE 13179) SPEPE Mar. 86, 104-110

Penetration

Perforating charge performance: factors affecting and relationship to port plug condition, (Tech. Paper SPE 13128) SPEPE Sept. 86, 379-387

Pennsylvania

Stem-induced explosive fracturing technique: field test of, (Tech. Paper SPE 12840) SPEPE Jul. 86, 266-274

Perforating

Factors affecting charge performance: relationship to port plug condition, (Tech. Paper SPE 13128) SPEPE Sept. 86, 379-387

Limited-entry: use in steam-injection profile control, (Tech. Paper SPE 13607) SPEPE Sept. 86, 388-394

Performance Predictions

Perforating charge: factors affecting and relationship to port plug condition, (Tech. Paper SPE 13128) SPEPE Sept. 86, 379-387

pH

Low, methanol: an alternative for stimulation in water-sensitive, tight, dirty sandstones, (Tech. Paper SPE 12502) SPEPE May 86, 195-202

Photography

Downhole: in field tests of stem-induced explosive fracturing technique, (Tech. Paper SPE 12840) SPEPE Jul. 86, 266-274

Pipelines

Problems: Qatar NGL-2, (Tech. Paper SPE 13685) SPEPE Nov. 86, 478-484

Platforms

Mating: and subsea drilling template; bumper-pile design for, (Tech. Paper SPE 12543) SPEPE May 86, 179-186

North Sea: operational experience of running multicasing as compression trains, (Tech. Paper SPE 14584) SPEPE Jul. 86, 279-288

Offshore: new cathodic protection criteria; development and testing of, (Tech. Paper SPE 13316) SPEPE May 86, 187-190

Polymers

Crosslinked fluids: time and shear effects on; evaluation method, (Tech. Paper SPE 12923) SPEPE Jan. 86, 55-61

Gel-block technique: a successful application for zonal isolation in a depleted reservoir, (Tech. Paper SPE 13637) SPEPE Nov. 86, 467-470

Gelling agents: using hollow-core test to determine acid reaction rates, (Tech. Paper SPE 12151) SPEPE Mar. 86, 111-116

Viscosified gravel-pack carrier fluid: new look at, (Tech. Paper SPE 12476) SPEPE Jan. 86, 9-16

Polymethylmethacrylate

Samples: use in study of vertical hydraulic fractures; stress gradient affects the fracture height, (Tech. Paper SPE 11626) SPEPE Jul. 86, 245-254

Pressure Behavior

Decline when fracturing: determination of proppant and fluid schedules from, (Tech. Paper SPE 13278) SPEPE Jul. 86, 255-265

Friction pressures: proppant-laden hydraulic fracturing fluids, (Tech. Paper SPE 13836) SPEPE Nov. 86, 437-445

High-pressure and high-temperature conditions: strength development of 2CaO/SiO2 cement, (Tech. Paper SPE 13406) SPEPE Jan. 86, 42-48

Transient: production from fractured well; well inflow limited to part of fracture height, (Tech. Paper SPE 12882) SPEPE Sept. 86, 333-343

Production

From fractured well: well inflow limited to part of fracture height, (Tech. Paper SPE 12882) SPEPE Sept. 86, 333-343

Tight gas well histories in Rocky Mountains: analysis of, (Tech. Paper SPE 11639) SPEPE Jul. 86, 310-322

Tubing, heavy-wall: design for special-alloy steels, (Tech. Paper SPE 12622) SPEPE Jul. 86, 289-302

Propagation

Fracture: two-dimensional theory of, (Tech. Paper SPE 11067) SPEPE Jan. 86, 17-30

Propellant

Based technology: for multiple-fracturing wellbores to enhance gas recovery; application and results in Devonian shale, (Tech. Paper SPE 12838) SPEPE Mar. 86, 97-103

Properties

Of gravel-pack carrier fluid: new look at, (Tech. Paper SPE 12476) SPEPE Jan. 86, 9-16

Rheological: of crosslinked fluids; evaluation of time and shear effects on, (Tech. Paper SPE 12923) SPEPE Jan. 86, 55-61

Proppant

Laden hydraulic fracturing fluids: friction pressures of, (Tech. Paper SPE 13836) SPEPE Nov. 86, 437-445

Magnetized: comprehensive fracture diagnostics experiment; part 1 - an overview, (Tech. Paper SPE 13893) SPEPE Nov. 86, 411-422

Schedule: determination from fracturing-pressure decline, (Tech. Paper SPE 13278) SPEPE Jul. 86, 255-265

settling correlations: non-Newtonian fluids, (Tech. Paper SPE 13835) SPEPE Nov. 86, 446-448

Propping Agent
Particle transport in viscous and viscoelastic fracturing fluids, (Tech. Paper SPE 13179) SPEPE Mar. 86, 104-110
Prudhoe Bay Field
See Alaska
Pumping Wells
Rod pumped oil well successful at 14,000 feet, (Tech. Paper SPE 12198) SPEPE Nov. 86, 485-493

Q

Qatar
NGL-2 pipeline problems, (Tech. Paper SPE 13685) SPEPE Nov. 86, 478-484
Quality Control
Control: of cement; evaluation by polished-section microscopy, (Tech. Paper SPE 12911) SPEPE May 86, 174-178

R

Radioactive Tracer Logging
Two-pulse method: extended analysis method, (Tech. Paper SPE 13396) SPEPE Mar. 86, 117-124
Reefs
Northern Michigan Niagaran trend: paraffin control in, (Tech. Paper SPE 12320) SPEPE May 86, 213-220
Reno Field
See Wyoming
Reserves
Rocky Mountains: analysis of tight gas well production histories, (Tech. Paper SPE 11639) SPEPE Jul. 86, 310-322
Reservoirs
Depleted: gel-block technique: a successful application for zonal isolation, (Tech. Paper SPE 13637) SPEPE Nov. 86, 467-470
Resistance
Of 13% Cr tubing in corrosive CO2 field: experience in use, (Tech. Paper SPE 13552) SPEPE Sept. 86, 344-350
Rheology
Properties of crosslinked fluids: evaluation of time and shear effects on, (Tech. Paper SPE 12923) SPEPE Jan. 86, 55-61
Study of foam fracturing fluids using nitrogen and carbon dioxide, (Tech. Paper SPE 12026) SPEPE Jan. 86, 31-41
Rocky Mountain Area
Analysis of tight gas well production histories, (Tech. Paper SPE 11639) SPEPE Jul. 86, 310-322

S

Safety
Procedures: of CO2 as energizing component for fracturing fluids, (Tech. Paper SPE 13794) SPEPE Sept. 86, 351-358
Salt Cavities
Leaching by freshwater injection: experimental studies, (Tech. Paper SPE 13308) SPEPE Jan. 86, 82-86
Oil withdrawal by freshwater injection: experimental studies, (Tech. Paper SPE 13307) SPEPE Jan. 86, 75-81
Sand Control
Success of openhole completions: Northeast Butterly field, Oklahoma, (Tech. Paper SPE 11555) SPEPE May 86, 169-173
Sandstone
Water-sensitive, tight, and dirty: low-pH methanol, an alternative for stimulation, (Tech. Paper SPE 12502) SPEPE May 86, 195-202
Saturation
Profiles: in rate-dependent two-phase immiscible flow; theoretical and experimental studies, (Tech. Paper SPE 10972) SPEPE Jan. 86, 62-74
Scale
Calcium carbonate: geothermal inhibitors; rapid, high temperature, field test method for evaluation, (Tech. Paper SPE 13549) SPEPE Sept. 86, 359-362
Scanning Electron Microscope
Characterizing water-sensitive, tight, dirty sandstones: low-pH methanol, an alternative for stimulation, (Tech. Paper SPE 12502) SPEPE May 86, 195-202
Sedimentation
Analysis of natural hydraulic fracturing of shales during, (Tech. Paper SPE 13343) SPEPE May 86, 191-194
Sensitivity Analysis
Of gravel-pack logging tool: mathematical modeling of, (Tech. Paper SPE 13138) SPEPE Mar. 86, 125-130
Settling
Proppant: correlations for non-Newtonian fluids, (Tech. Paper SPE 13835) SPEPE Nov. 86, 446-448
Rate; of particles in viscous and viscoelastic fracturing fluids, (Tech. Paper SPE 13179) SPEPE Mar. 86, 104-110
Shales
Devonian: application and results of propellant-based technology for multiple-fracturing wellbores to enhance gas recovery, (Tech. Paper SPE 12838) SPEPE Mar. 86, 97-103
Natural hydraulic fracturing of: analysis during sedimentation, (Tech. Paper SPE 13343) SPEPE May 86, 191-194
Silica
And 2CaO/SiO2 cement: strength development under high-temperature and high-pressure conditions, (Tech. Paper SPE 13406) SPEPE Jan. 86, 42-48
And 2CaO/SiO2 cement: strength development; influence of minor conponents, (Tech. Paper SPE 13411) SPEPE Jan. 86, 49-54
Simulation
Numerical, single-phase: production from fractured well; well inflow limited to part of fracture height, (Tech. Paper SPE 12882) SPEPE Sept. 86, 333-343
Slip Effects
Phase slippage: basis for accurate two-phase well flow model, (Tech. Paper SPE 12989) SPEPE May 86, 221-230
Spectrometer
Characterizing water-sensitive, tight, dirty sandstones: low-pH methanol, an alternative for stimulation, (Tech. Paper SPE 12502) SPEPE May 86, 195-202
Statfjord Field
See North Sea and Norway
Steam Injection
Profile control: use of limited-entry perforations, (Tech. Paper SPE 13607) SPEPE Sept. 86, 388-394
Reducing gravel pack and formation dissolution during, (Tech. Paper SPE 13660) SPEPE Nov. 86, 471-477
Steel
Special-alloy: heavy-wall production tubing design for, (Tech. Paper SPE 12622) SPEPE Jul. 86, 289-302
Stimulation
Acid: case history in Fryburg zone, western North Dakota, (Tech. Paper SPE 12921) SPEPE Nov. 86, 405-410
And completion applications: N2 and CO2 in the oil field, (Tech. Paper SPE 12594) SPEPE Jul. 86, 275-278

And completion applications: N2 and CO2 in the oil field, (Discussion SPE 16050) SPEPE Nov. 86, 494
Hydraulic fracturing: utility of CO2 as energizing component for fracturing fluids, (Tech. Paper SPE 13794) SPEPE Sept. 86, 351-358
In water-sensitive, tight, dirty sandstones: low-pH methanol an alternative for, (Tech. Paper SPE 12502) SPEPE May 86, 195-202
Use of capillary-pressure data for rapid evaluation of, (Tech. Paper SPE 12475) SPEPE Mar. 86, 131-142

Strategic Petroleum Reserve
Oil withdrawal from salt cavities by freshwater injection: experimental studies, (Tech. Paper SPE 13307) SPEPE Jan. 86, 75-81
Salt-cavity leaching by freshwater injection: experimental studies, (Tech. Paper SPE 13308) SPEPE Jan. 86, 82-86

Stresses
Gradient affects the height of vertical hydraulic fractures, (Tech. Paper SPE 11626) SPEPE Jul. 86, 245-254

Sucker Rods
Pumping: successful at 14,000 feet, (Tech. Paper SPE 12198) SPEPE Nov. 86, 485-493

Sulfides
Corrosion risks: assessment in offshore systems by biological monitoring, (Tech. Paper SPE 13847) SPEPE Sept. 86, 363-368

Surface
Facilities: design for Khuff gas; Bahrain field, (Tech. Paper SPE 13683) SPEPE Jul. 86, 303-309

Surfactants
Gelling agents: using hollow-core test to determine acid reaction rates, (Tech. Paper SPE 12151) SPEPE Mar. 86, 111-116

T

TR Field
See North Dakota

Temperature
High: and rapid field test method for evaluation of geothermal calcium carbonate scale inhibitors, (Tech. Paper SPE 13549) SPEPE Sept. 86, 359-362

Template
Subsea drilling: mating with platform; bumper-pile design for, (Tech. Paper SPE 12543) SPEPE May 86, 179-186

Testing
Acid reaction rates: using hollow-core test to determine, (Tech. Paper SPE 12151) SPEPE Mar. 86, 111-116
And development of new offshore cathodic protection criteria, (Tech. Paper SPE 13316) SPEPE May 86, 187-190
High-density brine completion fluids: for formation damage, (Tech. Paper SPE 13811) SPEPE Nov. 86, 432-436
Of oilwell cements: relationship of thickening time, gel strength, and compressive strength, (Tech. Paper SPE 11205) SPEPE Mar. 86, 143-152
Of pseudo-three-dimensional model of hydraulic fracture geometry, (Tech. Paper SPE 10505) SPEPE Nov. 86, 449-466
Perforating charge: factors affecting performance and relationship to port plug condition, (Tech. Paper SPE 13128) SPEPE Sept. 86, 379-387

Texas
South: liner rotation while cementing; operator's experience, (Tech. Paper SPE 13448) SPEPE Mar. 86, 153-159
Use of two-dimensional theory of fracture propagation in design of fracturing programs, (Tech. Paper SPE 11067) SPEPE Jan. 86, 17-30

Thickening Time
Of oilwell cements: relationship with gel strength and compressive strength, (Tech. Paper SPE 11205) SPEPE Mar. 86, 143-152

Timbalier Bay Field
See Louisiana

Tracers
Two-pulse logging: extended analysis method, (Tech. Paper SPE 13396) SPEPE Mar. 86, 117-124

Transports
Of particle in viscous and viscoelastic fracturing fluids, (Tech. Paper SPE 13179) SPEPE Mar. 86, 104-110

Tubing
In corrosive CO2 fields: experience in use of 13% Cr, (Tech. Paper SPE 13552) SPEPE Sept. 86, 344-350

Tubular Goods
Heavy-wall production tubing: design for special-alloy steels, (Tech. Paper SPE 12622) SPEPE Jul. 86, 289-302

U

United States
Strategic Petroleum Reserve: oil withdrawal from salt cavities by freshwater injection; experimental studies, (Tech. Paper SPE 13307) SPEPE Jan. 86, 75-81
Strategic Petroleum Reserve: salt-cavity leaching by freshwater injection; experimental studies, (Tech. Paper SPE 13308) SPEPE Jan. 86, 82-86

Utah
Geothermal calcium carbonate scale inhibitors: rapid, high-temperature, field test method for evaluation, (Tech. Paper SPE 13549) SPEPE Sept. 86, 359-362

V

Velocity
Shot method: differs from two-pulse tracer method; extended analysis, (Tech. Paper SPE 13396) SPEPE Mar. 86, 117-124

Viscosity
Apparent breakback of: new look at gravel-pack carrier fluid, (Tech. Paper SPE 12476) SPEPE Jan. 86, 9-16

W

Water
Fresh: injection; experimental studies of oil withdrawal from salt cavities by, (Tech. Paper SPE 13307) SPEPE Jan. 86, 75-81
Fresh: injection; experimental studies of salt-cavity leaching by, (Tech. Paper SPE 13308) SPEPE Jan. 86, 82-86
Production: success of openhole completions; Northeast Butterly field, Oklahoma, (Tech. Paper SPE 11555) SPEPE May 86, 169-173
Sensitive, tight, dirty sandstones: low-pH methanol, an alternative for stimulation, (Tech. Paper SPE 12502) SPEPE May 86, 195-202

Waxes
Paraffin control: Northern Michigan Niagaran reef trend, (Tech. Paper SPE 12320) SPEPE May 86, 213-220

Well Completion
Application: and stimulation; N2 and CO2 in the oil field, (Discussion SPE 16050) SPEPE Nov. 86, 494
Applications: and stimulation; N2 and CO2 in the oil field, (Tech. Paper SPE 12594) SPEPE Jul. 86, 275-278
Openhole success: Northeast Butterly field, Oklahoma, (Tech. Paper SPE 11555) SPEPE May 86, 169-173

Well Logging
Gravel-pack tool: mathematical modeling of, (Tech. Paper SPE 13138) SPEPE Mar. 86, 125-130
Of borehole: comprehensive fracture diagnostics experiment; part 2 - comparison of fracture azimuth measuring procedures, (Tech. Paper SPE 13894) SPEPE Nov. 86, 423-431
Two-pulse tracer: extended analysis method, (Tech. Paper SPE 13396) SPEPE Mar. 86, 117-124
Wellbore Mechanics
Multiple fracturing: propellant-based technology to enhance gas recovery: application and results in Devonian shale, (Tech. Paper SPE 12838) SPEPE Mar. 86, 97-103
Wyoming
Green River basin: analysis of tight gas well production histories in Rocky Mountains, (Tech. Paper SPE 11639) SPEPE Jul. 86, 310-322
Reno field: successful rod pumping at 14,500 feet, (Tech. Paper SPE 12198) SPEPE Nov. 86, 485-493

Z

Zonation
In depleted reservoir: gel-block technique; a successful application for zonal isolation, (Tech. Paper SPE 13637) SPEPE Nov. 86, 467-470